

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/286362/2022
Environment & Climate Change Department,
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.
Date-

To
M/s. Dimple Realtors Pvt. Ltd.
CTS no 751 (pt), 787 (pt), 787,
791 (pt), 792 (pt), 793 (pt), at Link Road,
R/S ward, Kandivali (W), Mumbai

Subject: Corrigendum in earlier EC for proposed Residential cum commercial redevelopment project under SRA scheme on plot bearing CTS no 751 (pt), 787 (pt), 787, 791 (pt), 792 (pt), 793 (pt), at Link Road, in R/S ward, Kandivali (W), Mumbai by M/s. Dimple Realtors Pvt. Ltd.

Reference: Application no. SIA/MH/MIS/286362/2022

This has reference to your communication on the above mentioned subject. You have obtained Environmental Clearance vide letter no. SIA/MH/MIS/2261725/2022 dated 30.07.2022. Now, you have applied for corrigendum in Environmental Clearance. Your proposal was considered in 253rd meeting (Day-2) of SEIAA held on 10th November, 2022. SEAC-2 in its 185th meeting, recommended for correction in earlier EC. PP submitted that as per plans submitted approved FSI is 63,418.37 Sq.Mtrs. The titles of the approvals received are for Rehab Building: R-S/MCGM/ 0028/ 20140210/ Rehab Building dated on 21.12.2021, Sale Building land 2: R-S/MCGM 0028 /20140210/ Sale 1 and Sale 2 dated 18.1.2022. SEIAA after deliberation decided to correct the approved FSI by planning authority & title names of approved plans for Sale & Rehab building as mentioned above in column no.17 of the project details & condition no. 5 of EC dated 30.07.2022

All the other terms and conditions mentioned in the EC letter dated 30.07.2022 shall remain the same.


Pravin Darade
(Member Secretary, SEIAA)